

Indiana Department of Environmental Management Office of Water Quality Wetlands Section

Publication Date: January 15, 2009

Closing Date:

February 5, 2009

PUBLIC NOTICE

IDEM ID Number: 2009-003-71-EMP-A

Corps of Engineers ID Number: LRE-2006-1237-171

To all interested parties:

This letter shall serve as a formal notice of the receipt of an application for **Section 401 Water Quality Certification** by the Indiana Department of Environmental Management (IDEM). The purpose of the notice is to inform the public of active applications submitted for water quality certification under Section 401 of the Clean Water Act (33 U.S.C. § 1341) and to solicit comments and information on any impacts to water quality related to the proposed project. IDEM will evaluate whether the project complies with Indiana's water quality standards as set forth at 327 IAC 2.

1. Applicant: Ms. Jessica Clark

St. Joseph County 227 W. Jefferson Blvd. South Bend, IN 46601 **2. Agent:** Mr. Michael Kummeth

DLZ Indiana, LLC 2211 E. Jefferson Blvd. South Bend, IN 46615

3. Project location: S 1/2 Section 10, Township 37 North, Range 3 East, South Bend East USGS Quad Map

Project is located where Mishawaka Ave. crosses the St. Joseph River, in Mishawaka, St. Joseph County

4. Affected waterbody: St. Joseph River (non-salmonid portion)

5. Project Description: The applicant proposes to rehabilitate the existing Mishawaka Ave. bridge over the St. Joseph River. In addition

to above-water rehabilitation, riprap is proposed to be placed around the bridge piers and abutments in the river to fill existing scour holes and protect from future erosion. Approximately 387 cubic yards of riprap will be placed around the three piers and two abutments below the Ordinary High Water Mark (OHWM) of the river; total impact is 0.12 acre. Additionally, an outfall will be constructed along the east bank of the river (3'wide, 1 cubic yard of riprap placed below OHWM) to collect drainage from 1,500' of new riverwalk trail, pedestrian

tunnel under the bridge, and a reconstructed parking lot to be added to adjacent Merrifield Park.

Comment period: Any person or entity who wishes to submit comments or information relevant to the aforementioned project may

do so by the closing date noted above. Only comments or information related to water quality or potential impacts of the project on water quality can be considered by IDEM in the water quality certification review

process.

Public Hearing: Any person may submit a written request that a public hearing be held to consider issues related to water quality

in connection with the project detailed in this notice. The request for a hearing should be submitted within the comment period to be considered timely. The request should also state the reason for the public hearing as

specifically as possible to assist IDEM in determining whether a public hearing is warranted.

Questions? Additional information may be obtained from Ms. Liz Pelloso, Project Manager, at 317-233-2482.


Please address all correspondence to the project manager and reference the IDEM project identification number listed on this notice. Indicate if you wish to receive a copy of IDEM's final decision. Written comments and


inquiries may be forwarded to -

Indiana Department of Environmental Management

100 North Senate Avenue MC65-42 WQS IGCN 1255 Indianapolis, Indiana 46204-2251

FAX: 317/232-8406





APPLICANT: ST. JOSEPH COUNTY
ARDIT: DLZ NOJANA, LLC
PROJECT: BLESSMAN ME, OVER THE ST. JOSEPH
AMERIKANIMAN AND MEDINFELD PANK CONNECTION
DATE: DESEMBER, 2008 Face of Abutment 5 Sta. IP FEG 21 W. Rt. 708 95 MISHAWAKA AVENUE 18+00 INDIANA
DEPARTMENT OF TRANSPORTATION Below OHMM 2,700 II³ 2,700 II³ DISTURBED AREA EARTHWORK Pota 93,150 n³ 75,600 n³ 93'-2" Per to Face of Abutment SPAN D -Light Standard (Typ.) Common Excavation Structure Bockfill Per. Cue tine A SPAN C 101'-0" Far to 6 Par Rowing, TX TORUMENTO TO THE PROPERTY OF T 64'-0 (f/p.) 389'-1" 0-0 Bridge Floor 36'-0" (Typ. @ Piers) ELEVATION 15 0 30 30 15 0 A (o Michon) 101'-0" SPAN B 1 21,551 sq mi 21,880 c/s 700.6 W2, 0.08 ft 1.65 fps 6,238.06 sft. 0.00 sft. 6,238.06 sft. 691.03 ws. Z Z \$257WG 21.850 cm 21.850 cm 20.55 Mg 00.2 H 369 \$95 5,970.64 sH. 5,970.64 sH. 5,970.64 sH. Hotching Represents Tons of Riprop, Class I (Typ. @ Piers) 93'-11"
face of Abulment to E. Fer SPAN A HYDRAULIC DATA 13'-0"
[fyp. • Abutments]
fixe of Abutment 1
Star 13+80.16
Et. 710.67 Sto. Ahead Sta. Ahead Sta. Ahead Dole: Dec 22, 2008, 10:52om Unes Be Seening Dole: File: M:/PRDJ/0661/2654/bridge/deg/ferming/Distu

Overview of bridge rehab lation OHWM of the river